







Process of controlled radical (co)polymerisation of (meth)acryl or vinyl monomers in the presence of Fe, Ru or Os complexes and so prepared (co) polymers

Patent number: EP0826698
Publication date: 1998-03-04
Inventor: SENNINGER THIERRY (FR); SANCHEZ LAURENT (FR)
Applicant: ATOCHEM ELF SA (FR)
Classification:
- international: C08F4/00
- european: C08F4/00; C08F4/80
Application number: EP19970401441 19970620
Priority number(s): FR19960010634 19960830

Also published as:

 JP10152513 (A)
 FR2752845 (A1)

Cited documents:

 US4145486
 EP0265091
 EP0511405
 XP002028806

[Report a data error here](#)

Abstract of EP0826698

A method for controlled radical (co)polymerisation of (meth)acrylic and/or vinyl monomers comprises (co) polymerisation in mass, solution, emulsion, or suspension at a temperature which can go as low as 0 degrees C. The method is carried out in the presence of a primer comprising at least one radical generator; and at least one catalyst consisting of metal complex of formula $MAa(L)n$ (I), where M = Fe, Ru, or Os; A = halogen or pseudo-halogen; L = (chiral) ligand, selected from $PRR'R''$, $P(OR)(OR')(OR'')$, $NRR'R''$, ORR' , SRR' , $SeRR'$, $AsRR'R''$, and $SbRR'R''$; R, R', R'' = 1-14C (substituted) alkyl or (substituted) aromatic, at least two ligands being linked by one or more bivalent radicals; a = 1-3; and n = 1-3. The method also requires the absence of activators; systems such as 1-phenylethylchloride/RuCl₂ - PPh₃, and benzyl chloride/FeCl₂ - (Et)₃P being excluded in the polymerisation of styrene.

Data supplied from the **esp@cenet** database - Worldwide